Comparison of Respiratory Functions in Fischer 344 and Wistar Rats
U. Heinrich and A. Wilhelm, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover, FRG.

42.5 5

- Electron Microscopic Studies on Rat Lungs after Prolonged Exposure to Diesel Engine Exhaust

 A. Kato, S. Ishiwata (HERP), Japan Automobile Research Institute, Inc., Ibaraki, Japan.
- Nasal Tumours in Rats after Severe Injury to the Nasal Mulcosa and Exposure fo Formaldehyde Vapour

 V.J. Feron, H.R. Immel, L.M. Appelman, R.A. Woutersen and A. Zwart, TNO-CIVO Toxicology and Nutrition Institute, Zeist, The Netherlands.
- Use of Bronchoalveolar Lavage to Assess the Toxicity of Airborne Materials R.F. Henderson and R.O. McChallan, Lovelace Inhalation Toxicology Research Institute, Albuquerque NM 87185, USA.
- The Larynx as a Potential Target Organ in Aerosof Inhalation Studies on Rats D.R. Klonne, R.H. Garman, W.M. Snellings D.E. Dodd and B. Ballantyne, Bushy Run Research Center, Export, PA, SA.
- Subchronic Inhalation Study of Pigmented Polymer in Rats
 H. Muhle*, U. Mohr*, S. Takenaka*, W. Koch*, R. Fuhat*, R. Kilpper** and
 R. Mermelstein**

 *Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover, FRG

 **Joseph C. Wilson Center for Technology, Xerox Corporation; Rochester,

NY, USA.

Long-term Inhalation Study with Hamsters and Mice Using Various Cadmium Compounds
U. Heinrich, R. Fuhst, H. König, L. Peters and S. Takenaka, Fraunhofer-Institut für Tokikologie und Aerosolforschung, Hannover, FRG.

45 D Endogenous Lipid Pneumonia Induced by Methylnaphthalene, a Combustion Gas of Kerosine, in C6B3F1 Mice Y. Konishi*, Y. Emi*, T. Taki**, Y. Murata* and Y. Yokose*, * Department of Oncological Pathology, Cancer Center, Nara Medical College and ** Department of Biochemistry, Shizuoka College of Pharmacy, Japan. Modification of Lung Tumor Growth by Hyperoxia R.C. Lindenschmidt* and H.P. Witschi, Biology Division, Oak Ridge National Laboratory, Oak Ridge, TN, USA.

Present address: The Procter & Gamble Company, Miami Valley Laboratories; Cincinnati, OH, USA. Effect of a "Nuisance" Dust Inhalation on Immunologic Functions of Rat Alveolar Macrophages M.-L. Lohmann-Matthes and H. Muhle, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover, FRG. 52 D Carcinogenicity of Diesel Exhaust Inhaled Chronically by Rats J.L. Mauderly, R.K. Jones, W.C. Griffith, R.F. Henderson and R.O. McClellan, Lovelace Inhalation Toxicology Research Institute, Albuquerque, NM 87185, USA: 53 D Relative Effects of Inhaled Nitrogen Dioxide and Dissel Exhaust in Adult Rats with Developing Lungs J.L. Mauderly, D.E. Bice, N.A. Gillett, R.F. Henderson, J.A. Pickrell and R.K. Wolff, Lgvelace Inhalation Toxicology Research Institute, Albuquerque, NM 87185. USA. 1. Early Distribution of an Inhaled Radioaerosol in Rats
A.N. Payne, I.W. Lees, M.J.S. Gazeley, P.M. Webbon and G.E. Woolley. - Department of Mediator Pharmacology, Wellcome Research Laboratories. Beckenham, Kent, UK, Central Analytical Laboratories (Biological), The Wellcome Foundation Limited, Dartford, Kent, UK, and Departments of Medicine and Surgery. The Royal Vetermary College Field Site, Hartfield. Hertfordshire, UK. Chronic Effects Following Long-term Exposure to Gasoline Engine Exhaust U. Heinrich, L. Peters and B. Bellmann, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannoyer, FRG.

